Author Index

Al-Khaiat, H., 129

Bluyssen, P., 7
Bouchair, A., 135
Busch, J., 77

Chen Qingyan, 85
Clausen, G., 7
Conner, C. C., 77

Eid, M., 67
Eto, J. H., 113
Etzion, Y., 149

Fanger, P. O., 1, 7, 21
Fazio, P., 101
Fitzgerald, D., 135

Gandrille, T., 53

Haghighat, F., 101
Hammond, G. P., 53
Hanzawa, H., 21
Heisler, G. M., 41
Herrington, L. P., 41

Isetti, C., 141

Knoll, W. H., 159

Langendries, R., 191
Larsen, K., 201
Laurenti, L., 141
Lauridsen, J., 7

Matsunawa, K., 207
McPherson, E. G., 41
Meadowcroft, C. R., 219
Meier, A. K., 77
Melikov, A. K., 21
Melo, C., 53
Mesher, D., 219
Meyers, A., 85

Poehlman, W. F. S., 219
Ponticiello, A., 141

Riffat, S. B., 67
Ring, J., 21
Rosada, J., 157, 163

Shukuya, M., 207

van der Kooi, J., 85
van der Meulen, S. F., 179

Wasilewski, W., 173

Zmeureanu, R., 101

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Air-conditioned environments
predicting vapour content of the indoor air and latent loads for, effect of moisture storage capacity of the walls, 141
Air flow
measurement of, between floors of houses using a portable SF_6 system, 67
Air pollution
perceived by humans indoors and outdoors, introduction of olf and decipol units to quantify, 1
sources in offices and assembly halls, quantified by the olf unit, 7
Air turbulence
and sensation of draught, 21
Arid environment
hot and, long-term housing costs in, of Kuwait, 129
Azimuth
optimum, for a solar chimney in hot climates, 135

Building energy model
testing the accuracy of a measurement-based, with synthetic data, 77
Building energy simulation
an intermediate-level model of external convection for, 53
Buildings
transfer function coefficients of, from experimental data, a systematic approach for derivation of, 101

Chimney
solar, optimum azimuth for a, in hot climates, 135
Convection
external, an intermediate-level model of, for building energy simulation, 53
Cooling
residential, and heating, impacts of vegetation on, 41
Cooling energy requirements
a nomograph for estimating annual heating and, in buildings dominated by internal loads, 207
Costs
long-term housing, in hot and arid environment of Kuwait, 129

Decipol
and olf units, introduction of, to quantify air pollution perceived by humans indoors and outdoors, 1
Degree-days
on using, to account for the effects of weather on annual energy use in office buildings, 113
District heating
characteristics of, — advantages and disadvantages, 163
low return temperature (LRT) in, 191
the building's side of, 159
District heating systems
influence of the consumer's installation parameters on, 173
load management in, 179
Draught
sensation of, and air turbulence, 21

Energy efficient house
monitoring the behaviour of an ultra-, at Noble Kirk Farm, 219
Energy model
building, testing the accuracy of a measurement-based, with synthetic data, 77
Energy requirements
annual cooling and heating, a nomograph for estimating, in buildings dominated by, 207
Energy simulation
building, an intermediate-level model of external convection for, 53
Energy use
annual, in office buildings, on using degree-days to account for effects of weather on, 113

Heat consumption
measurement of, and tariff system, 201
Heating
residential, and cooling, impacts of vegetation on, 41
Heating energy requirements
a nomograph for estimating annual cooling and, in buildings dominated by internal loads, 207
Housing costs
long-term, in hot and arid environment of Kuwait, 129

Installation parameters
consumers, influence of, on district heating systems, 173

Load management
in district heating systems, 179
Loads
internal, a nomograph for estimating annual cooling and heating energy requirements in buildings dominated by, 207

Moisture storage capacity
of walls, effect of: predicting vapour content of the indoor air and latent loads for air-conditioned environments, 141

Olf
and decipol units, introduction of, to quantify air pollution perceived by humans indoors and outdoors, 1

© Elsevier Sequoia/Printed in The Netherlands

Olf unit
air pollution sources in offices and assembly halls, quantified by, 7

Pollution
air, perceived by humans indoors and outdoors, introduction of olf and decipol units to quantify, 1
air sources in offices and assembly halls, quantified by the olf unit, 7

SF_6 system
portable, measurement of air flow between the floors of houses using, 67
Solar chimney
optimum azimuth for a, in hot climates, 135
Solar rights determination
a general expression for, 149
Synthetic data
testing the accuracy of a measurement-based building energy model with, 77

Tariff system
and measurement of heat consumption, 201
Temperature
low return, (LRT) in district heating, 191
Temperature efficiency
and ventilation efficiency in a ventilated room, measurements and computations of, 85
Transfer function coefficients
of buildings from experimental data, a systematic approach for derivation of, 101
Turbulence
air and sensation of draught, 21

Vapour content
predicting, of indoor air and latent loads for air-conditioned environments: effect of moisture storage capacity of the walls, 141
Vegetation
impacts of, on residential heating and cooling, 41
Ventilation efficiency
and temperature efficiency in a ventilated room, measurements and computations of, 85

Walls
effect of moisture storage capacity of, predicting vapour content of the indoor air and latent loads for air-conditioned environments, 141
Weather
effects of, on annual energy use in office buildings, on using degree-days to account for, 113